3" TRIMS

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			

3" TRIMS OPTICS

3" Baffle Trim
Lamp:MR16/GU10 12V 37W max
or LED lamp
Finish: W/B/SN

B3001

3" Reflector Trim
Lamp: MR16/GU10 12V 37W
or LED lamp
Finish: WW/CW/CB/CSN

B3002

3" Eyeball Trim
Lamp: MR16/GU10 12V 37W ma
or LED lamp
Finish: W/B/SN

B3003

3" Pinhole Trim
Lamp: MR16/GU10 12V 37W
or LED lamp
Finish: W/B/SN

B3014

3" Slot Trim
Lamp: MR16/GU10 12V 37W ma
or LED lamp
Finish: W/B/SN

B3005

3" Wall Washer Trim
Lamp: MR16/GU10 12V 37W max
or LED lamp
Finish: W/B/SN

B3006

3" Gimbal Trim
Lamp: MR16/GU10 12V 37W ma
or LED lamp
Finish: W/B/SN

B3007

3" Slot Trim
Lamp: MR16/GU10 12V 37W max
or LED lamp
Finish: W/B/SN

B3011

Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: sales@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jan. 2013

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			

3.5" TRIMS OPTICS

3.5" Baffle Trim
Lamp:MR16/GU10 12V 50W max
or LED lamp
Finish: W/B/SN

BD3001

3.5" Reflector Trim
Lamp: MR16/GU10 12V 50W max
or LED lamp
Finish: W/B/SN

BD3002

3.5" Eyeball Trim
Lamp: MR16 12V 50W max
or LED lamp
Finish: W/B/SN

BD3003

3.5" Pinhole Trim
Lamp: MR16/GU10 50W max
or LED lamp
Finish: W/B/SN

BD3014

3.5" Reflector Pinhole Trim
Lamp: MR16/GU10 12V 50W max
or LED lamp
Finish: W/B/SN

BD3024

3.5" Wall Washer Trim
Lamp: MR16/GU10 50W max
or LED lamp
Finish: W/B/SN

BD3005

3.5" Large Gimbal Trim
Lamp: MR16 50W max
or LED lamp
Finish: W/B/SN

BD3071

3.5" Shower Trim with dome lens
Lamp: MR16/GU10 12V 50W max
or LED lamp
Finish: W/B/SN

BD3602

3.5" Shower Trim with frosted lens
Lamp: MR16/GU10 12V 50W max.
or LED lamp
Finish: W/B/SN

BD3802

3" LOW VOLTAGE 316 STAINLESS STEEL

Y1101

3” Vortech Stainless Steel Trim
Constructed of 316 marine grade stainless steel.
Lamp cover is sealed with gasket and has a tempered glass lens.
For indoor or outdoor use. Damp location listed.
20 °lamp adjustment.
Lamp: MR16 12V 37W max. LED MR16

Y1102

3” Vortech Stainless Steel Square Trim
Constructed of 316 marine grade stainless steel.
Lamp cover is sealed with gasket and has a tempered glass lens.
For indoor or outdoor use. Damp location listed.
20 °lamp adjustment
Lamp: MR16 12V 37W max. LED MR16

Y1103

3” Vortech Stainless Steel Adjustable Trim
Constructed of 316 marine grade stainless steel.
For indoor or outdoor use. Damp location listed.
20 °lamp adjustment
Lamp: MR16 12V 37W max. LED MR16

Y1104

3” Vortech Stainless Steel Trim With Lip
Constructed of 316 marine grade stainless steel.
Lamp cover is sealed with gasket and has a tempered glass lens.
For indoor or outdoor use. Adjustable 20 °.
Lamp: MR16 12V 37W max. LED MR16

Y1105

3” Vortech Stainless Steel Square Adjustable Trim
Constructed of 316 marine grade stainless steel.
For indoor or outdoor use. Damp location listed.
20 °lamp adjustment
Lamp: MR16 12V 37W max. LED MR16

Y1106

3” Vortech Stainless Steel Square Trim With Lip
Constructed of 316 marine grade stainless steel.
Lamp cover is sealed with gasket and has a tempered glass lens.
For indoor or outdoor use. Damp location listed.
20 °lamp adjustment
Lamp: MR16 12V 37W max. LED MR16

4" LINE VOLT. TRIMS

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			

4" LINE VOLTAGE TRIMS OPTICS

4" Line volt. baffle trim
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN/CH

B4001

4" Line volt. reflector trim
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN/CH

B4002

4" Line volt. eyeball trim
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN/CH

B4003

4" Line volt. pinhole trim
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN

B4014

4" Line volt. pinhole trim
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN

B4024L

4" Line volt. slot trim with baffle
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN

B4015

4" Line volt. slot trim with reflector
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN

B4025

4" Line volt. wallwash trim with baffle
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN/CH

B4016

Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China
TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: sales@liteharbor.com
Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jan. 2013

4" Line volt. wallwash trim with reflector
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN/CH

B4026

4" Line volt. large gimbal trim
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN/CH

B4007

4" Line volt. square trim
Lamp: PAR16/PAR20/PAR20
LED/R20/R40
Finish: W/B/SN/CH

B4011

4" Line volt. shower trim with fresnel lens
Lamp: 120V 35W Max. PAR2(
Finish: W/B/SN/CH

B4301

4" Line volt. shower trim with fresnel lens
Lamp: 120V 35W Max. PAR20
Finish: W/B/SN/CH

B4302

4" Line volt. shower trim with albalite
Lamp: 120V 35W Max. PAR2(
Finish: W/B/SN/CH

B4401

4" Line volt. shower trim with albalite
Lamp: 120V 35W Max. PAR20
Finish: W/B/SN/CH

B4402

4" Line volt. shower trim with drop opal
Lamp: 120V 35W Max. PAR2(
Finish: W/B/SN/CH

B4502

4" Line volt. shower trim with dome lens
Lamp: 120V 35W Max. PAR20
Finish: W/B/SN/CH

B4601

4" Line volt. shower trim with dome lens
Lamp: 120V 35W Max. PAR2(
Finish: W/B/SN/CH

B4602

4" Line volt. shower trim with frosted lens
Lamp: 120V 35W Max. PAR20
Finish: W/B/SN/CH

B4701

4" Line volt. shower trim with frosted lens
Lamp: 120V 35W Max. PAR2(
Finish: W/B/SN/CH

B4702

4" Line volt. shower trim with frosted lens
Lamp: 120V 35W Max. PAR20
Finish: W/B/SN/CH

B4801

4" Line volt. shower trim with frosted lens
Lamp: 120V 35W Max. PAR2(
Finish: W/B/SN/CH

B4802

Liteharbor Lighting Technology Co., L
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: sales@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jan. 2013

4" LOW VOLT. TRIMS

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			

4" LOW VOLTAGE TRIMS OPTICS

4" Low Volt. Trim with baffle
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4001

4" Low Volt. Reflector Trim
Lamp: Lamp: MR16/ LED MR16
Finish: W/B/SN/CL

BD4002

4" Low Volt. Eyeball Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4003

4" Low Volt. Pinhole Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4004

4" Low Volt. Large Pinhole Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4004L

4" Low Volt. Pinhole Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4004M

4" Low Volt. Large Pinhole Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN/CL

BD4014

4" Low Volt. Large Reflector Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN/CL

BD4024

4" Low Volt. Slot Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4005

4" Low Volt. Slot Baffle Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN/CL

BD4015

4" Low Volt. Slot Trim with Reflector
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4025

4" Low Volt. Wall Washer Trim with Baffle
Lamp: MR16/ LED MR16
Finish: W/B/SN/CL

BD4026

Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: sales@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jan. 2013

4" LOW VOLT. TRIMS

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			

4" Low Volt.Large Gimbal Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4007

4" Low Volt.Large Large Gimbal Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4007L

4" Low Volt. Gimbal Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4008

4" Low Volt.Large Regress Rotating
Die casting eyeball trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4009

4" Low Volt. Retractable Die Casting Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4010

4" Low Volt.Square Trim
Lamp: MR16/ LED MR16
Finish: W/B/SN

BD4011

4" Low Volt. Shower Trim with Fresnel Lens
Lamp: 35W Max. MR16/ LED MR16
Finish: W/B/SN

BD4301

4" Low Volt. Shower Trim with Fresnel Lens
Lamp: 35W Max. MR16/ LED MR16
Finish: W/B/SN

BD4302

4" Low Volt. Shower Trim with Albalite
Lamp: 35W Max. MR16/ LED MR16
Finish: W/B/SN/CL

BD4401

4" Low Volt. Shower Trim with Albalite
Lamp: 35W Max. MR16/ LED MR16
Finish: W/B/SN/CL

BD4402

4" Low Volt. Shower Trim with Drop opal
Lamp: 35W Max. MR16/ LED MR16
Finish: W/B/SN/CL

BD4501

4" Low Volt. Shower Trim with Drop opal
Lamp: 35W Max. MR16/
LED MR16
Finish: W/B/SN/CL

BD4502

Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China
TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: sales@liteharbor.com
Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jan. 2013

4" LOW VOLT. TRIMS

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			

4" Low Volt. Shower Trim with Dome Lens
Lamp: 35W Max. MR16/ LED MR16
Finish: W/B/SN/CL

BD4601

4" Low Volt. Shower Trim with Do Lens
Lamp: 35W Max. MR16/
LED MR16
Finish: W/B/SN/CL

BD4602

4" Low Volt. Shower Trim with Frosted Lens Clear in Centre
Lamp: 35W Max. MR16/ LED MR16
Finish: W/B/SN/CL

BD4701

4" Low Volt. Shower Trim with Frosted Lens Clear in Centre
Lamp: 35W Max. MR16/
LED MR16
Finish: W/B/SN/CL

BD4702

4" Low Volt. Shower Trim with Frosted Lens
Lamp: 35W Max. MR16/ LED MR16
Finish: W/B/SN/CL

BD4801

4" Low Volt. Shower Trim with Frosted Lens
Lamp: 35W Max. MR16/
LED MR16
Finish: W/B/SN/CL

BD4082

Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: sales@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jan. 2013

5" TRIMS

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			

5" TRIMS OPTICS

5" Baffle Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/SN

B5001

5" Reflector Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/SN(Gimbal & Trim)

B5002

5" Eyeball Trim
Lamp:PAR20 75W max
PAR20 LED 8W max
Finish:W/B/SN

B5003

5" Large Eyeball Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/SN(Gimbal & Trim)

B5003L

5" Gimbal Ring Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/SN(Gimbal & Trim)

B5007

5" Open Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/SN(Gimbal & Trim)

B5008K

5" Cone Baffle Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/SN(Gimbal & Trim)

B5011

5" Baffle Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/SN(Gimbal & Trim)

B5011K

5" Funnel Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/SN(Gimbal & Trim)

B5011H

5" Cone Reflector Trim
Lamp:A19 60W max(40W max IC Rate
19 LED 12W max
Finish:W/B/SN(Ring and Baffle)

B5022

Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China
TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: sales@liteharbor.com
Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jan. 2013

5" Shower trim
Lamp:PAR30 40W max
Finish:W/B/SN

B5300

5" Shower trim
Lamp:PAR30 40W max
Finish:W/B/SN/CL

B5302

5" Shower trim
Lamp:PAR30 40W max
Finish:W/B/SN/CL/CH

B5400

5" Shower trim with reflector
Lamp:PAR30 40W max
Finish:W/B/SN/CL/CH

B5402

5" Shower trim
Lamp:PAR30 40W max
Finish:W/B/SN/CL/CH

B5500

5" Shower trim
Lamp:PAR30 40W max
Finish:W/B/SN/CL/CH

B5502

5" Shower trim
Lamp:PAR30 40W max
Finish:W/B/SN/CL/CH

B5602

5" Clear Reflector with Baffle Trim
Lamp:A19 60W max(40W max IC Rate
19 LED 12W max
Finish:W/B/SN(Ring and Baffle)

B5021

5" Gimbal adjustable Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/SN(Gimbal & Trim)

B5017

5" Reflector Trim
Lamp:PAR30 75W max
PAR30 LED 15W max
Finish:W/B/C

B5012

6" TRIMS

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			

6" TRIMS OPTICS

B6001

6“ Baffle Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN(Baffle & Ring)

B6001L

6“ Baffle Trim
Lamp:PAR38/R40 150W max
PAR38 LED 18W max E26 Base
PAR38 LED 18W max GU24 Ba
Finish:W/B/SN(Baffle & Ring)

B6002

6" Reflector Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/CL(Reflector & Ring)

B6002L

6" Reflector Trim
Lamp:PAR38/R40 150W max
PAR38 LED 18W max E26 Base
PAR38 LED 18W max GU24 Ba
Finish:W/B/CL(Reflector & Ring)

B6003

6" Eyeball Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN

B6003B

6" Eyeball Baffle Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN

B6016

6" Wall Wash Baffle Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN

B6026

6" Wall Wash Reflector Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/CL

B6007

6" Gimbal Ring Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN

B6011

6" Cone Baffle Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN

B6012

6" Reflector and Baffle Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/CL

B6013

6" Eyeball and Baffle Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN

B6017

6" Open Baffle with Gimbal Ring Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN(Baffle & Ring)

B6017L

6" Open Baffle with Large Gimbal Ring Trim
Lamp:PAR38/R40 150W max
PAR38 LED 18W max E26 Base
PAR38 LED 18W max GU24 Ba
Finish：W/B/SN(Baffle & Ring)

B6022

6" Cone Reflector Trim
Lamp:A19 100W max(60W max IC Rate
A19 LED 12W max E26 base
A19 LED 12W max GU24 base
CFL 26W max GU24 base
Finish：W/B/Clear(Reflector & Ring)

ICRW9

6" Wall Wash Reflector for A19 Lamp
Lamp:A19 100W max(60W max IC Rated)
A19 LED 12W max E26 base
A19 LED 12W max GU24 base
CFL 26W max GU24 base
Finish：W/B/Clear(Reflector & Ring)

ICP40

6" par38 Phenolic Baffle with Phenolic White Ring Trim
Lamp:PAR38/R40 150W max
PAR38 LED 18W max E26 Base
PAR38 LED 18W max GU24 Base
Finish:W/B/SN

ICA38

6" PAR38 Adjustable Gimbal Trim（40°）
Lamp:PAR38/R40 150W max
PAR38 LED 18W max E26 Base
PAR38 LED 18W max GU24 Base
Finish:W/B/SN

ICA31

6" Adjustable Gimbal with Baffle Trim（30°）
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN

IC42W

6" PAR38 Adjustable Gimbal with Baffle Trim（40°）
Lamp:PAR38/R40 150W max
PAR38 LED 18W max E26 Base
PAR38 LED 18W max GU24 Base
Finish:W/B/SN

ICB9

6" Regressed Eyeball Trim
Lamp:PAR30/R30 75W max
PAR30 LED 15W max
PAR30 LED 15W max GU24
Finish：W/B/SN

ICR30

6“ Full Reflector Baffle Trim
Lamp:A19 100W max(60W max IC Rated)
A19 LED 12W max E26 base
A19 LED 12W max GU24 base
CFL 26W max GU24 base
Finish：W/B/Clear

B6300

6" shower trim with Fresnel lens
Lamp:A19 60W max. (40W max IC rated)
CFL 26W max GU24 Base
Finish:W/B/SN

B6302

6" shower trim with Fresnel lens
Lamp:A19 60W max. (40W max IC rate
CFL 26W max GU24 Base
Finish:W/B/CL

B6400

6" shower trim with albalite lens
Lamp:A19 60W max. (40W max IC rated)
CFL 26W max GU24 Base
Finish:W/B/SN

B6500

6" shower trim with Drop Opal
Lamp:A19 60W max. (40W max IC rate
CFL 26W max GU24 Base
Finish:W/B/SN

B6502

6" shower trim with Drop Opal
Lamp:A19 60W max. (40W max IC rate
CFL 26W max GU24 Base
Finish:W/B/CL

ICR35

6" Full Reflector Trim
Lamp:A19 100W max(60W max IC Rated)
A19 LED 12W max E26 base
A19 LED 12W max GU24 base
CFL 26W max GU24 base
Finish：W/B/Clear

New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China
TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: sales@liteharbor.com
Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jan. 2013