
6" Vertical New **Construction Commercial Housing**

Catalog #	Prepared by LiteHarbor		
Project	Date		
Notes			







6" Vertical New Construction Commercial Housing

Mounting

- 1) Constructed from 16-gauge steel
- 2) Frame includes bar hangers with nails for wood joist
- 3) Installed spring steel friction clips
- 4) Adjustable 14"-25" for precise placement
- 5) Bar hangers include T-bar notch for T-grid ceiling installations
- 6) Fully assembled for ease of installation
- 7) Must be kept at least 3" away from insulation

Junction Box

- 1) Pre-wired junction box provided with 1/2" and 3/4" knockouts
- 2) Provided with removable access plates
- 3) Knockouts equipped with pry out slots
- 4) All leads are #18AWG wire, the ground wire connected to the bottom and quick connectors are supplied on all leads
- 5) Through branch circuit wiring(4 in, 4 out)

Reflector

- 1) High quality reflector with 1.2mm thickness available in multiple architectural finishes and types.
- 2) Optional painted white flange is available

Order Matrix

Item No.:A6-VC

A6-VC 6" Vertical New COnstruction

В	Input Voltage
	120V
277	277V

С	Lamp
	PAR30
	PAR38
A19	A19
A21	A21
•	

 D	Wattage
 L16	LED 16W
L24	LED 24W



Liteharbor Lighting Technology Co., Ltd. New Industry Area Hecun Danzao Town

Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jan. 2015

OMMERCIAL HOUSING

COMMERCIAL HOUSING

3) Single position optics eliminate possibility of specified lamp being installed in incorrect position

E Color Temperature

28K 2800K

35K 3500K

50K 5000K

60K 6000K

Lamp

A19 12W/ A21 17W/ A23 20W/ PAR30 18W /PAR38 24W Max.

E26 medium base

CRI>80%

PF>0.9

Color Temperature: 2800K-6000K

Listing

ETL listed for damp location W/Feed through

Special Requirements Confirm with Factory



Liteharbor Lighting Technology Co., Ltd.New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675 FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jan. 2015





RV6002 6 inch Vertical Reflector Self Flanged/White Ring



RC602
6 inch Vertical Reflector with Regressed Lens
Self Flanged/White Ring



RC603
6 inch Vertical Baffle with
Regressed Lens
Self Flanged/White Ring



RC608
6 inch Vertical Cross Blade
White Ring



RV612
6 inch Vertical Reflector with Baffle
White Ring



RC166
6 inch Vertical Reflector with Drop Glass
Self Flanged



Liteharbor Lighting Technology Co., Ltd.New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jan. 2015