

Multi-angle COB LED Retrofit Trim

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			



DESCRIPTIONS

COB retrofit trim designed to use with Liteharbor 6 inch recessed residential downlight. Using die-casting aluminum casting, good heat dissipation, high transmittance lens and diffusion film, can change the beam angle.

FEATURES

- The 12W 5,6-inch universal housing, is a high-performance, easy to install residential-grade downlight, providing a good light output, light uniform and soft, efficient energy-saving.
- Using high-quality COB light source and high transmittance lens, high luminous efficiency.
- Can choose to use different types of diffusion film to change the beam angle; can change to 10 °, 12 °, 20 °, 30 °, 45 °, 55 °, 60 °.
- Use die-casting aluminum casting, good heat dissipation, light modeling simple and beautiful.
- Dimmable, dimmer compatibility is good, can match the multi-brand dimmer, dimming effect is good (dimming stable even, no strobe).
- Easy installation time-saving, tool-free, quick terminal installation, with E26 adapter, can be used as E26 porcelain seat LED transformation.

Order Matrix | Example: BL6-001-COB

A B C D E

Item No.: BL6-001-COB

A	Series
BL6-001-COB	COB LED Downlight housing
B	Input Voltage
	120V
277	277V
347	347V
C	Wattage
	12W
	14W
E	CCT
27K	2700K
30K	3000K
35K	3500K
41K	4100K



LED RETROFIT TRIM



Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: info@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Apr. 2017

SPECIFICATIONS

Material: Die cast aluminum

Input Voltage: AC 120V 277V 347V ±10%

Electric frequency: 50/60Hz

Wattage: 12W/14W

CCT: 2700-4100K

PF: >0.9

CRI: 80+/90+

Dimmable: None/TRIAC

Finish: White/Black/Satin nickel

F	Finish
WH	White
BK	Black
SN	Satin nickel
F	Dimmable
	Non-Dimmable
DM	Dimmable

LISTING / WARRANTY

ETL listed to US and Canadian standards for damp location

W/Feed through.




3 Year Limited Warranty.

PACKING

Inner Box : 19*9*19.2cm 1PCS/BOX

CTN: 57*39.5*21.5cm 12 PCS/CTN

DIMENSIONS



Liteharbor Lighting Technology Co., Ltd.

New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com


Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Apr. 2017



Product exploded view



LED RETROFIT TRIM



Liteharbor Lighting Technology Co., Ltd.

New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Apr. 2017