

High Voltage - LED Retrofit

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			



Features

LED reformat for recessed downlight.
 Scheme for High Voltage AC, effectively reduce the volume and weight of lamps.
 Power supply for 50000 hours, low EMI and low consumption
 Compatible with several triac dimmers, dimmable to 5%.
 High transmittance, high diffusion, 92% light transmittance.
 No shadow, no glare, have the role of protecting eyesight.
 Concealed light source.

Specifications

Wattage: 10W
 Input Voltage: AC120V \pm 10%
 Lumen: 750LM
 Electric Frequency: 50/60Hz
 PF: >0.9
 Dimmable: None/TRIAC
 Finish: Black/White/Satin Nickel
 CCT: 2700-4100K
 CRI: 80+/90+

Order Matrix | Example: BL4-001-E

A	B	C	D	E	F
Item No.: BL4-001-E					

A	Series
BL4-001-E	LED Retrofit

B	Input Voltage
110	110V
120	120V

C	Wattage
10	10W

D	CCT
27	2700K
30	3000K
35	3500K
41	4100K

LED RETROFIT



Liteharbor Lighting Technology Co., Ltd.
 New Industry Area Hecun Danzao Town
 Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687
 FAX: +86-757-8180 8685
 E-mail: info@liteharbor.com

Website: www.liteharbor.com
 Specifications subject to change w/o notice
 Revision: Jul. 2017

Lamp Body

Using iron plate material, die spinning technique, can electroplating or spray coating, high glisten rate, use long without discoloration, and high illumination uniformity.

Chip

Cree/Citizen/Epistar/Seoul/Osram, durability and stability, uniform luminance.

Power Supply

Scheme for high voltage AC, effectively reduce the volume and weight of lamps, long life-span, low EMI and low consumption.

Diffuser Plate

Using imported high transmittance diffusion plate, uniform light soft light and no glare.

Quick Connector

Safe and easy to install, suitable for LED housing or E26 socket housing.

Listing / Warranty

ETL listed to US and Canadian standards for damp location
W/Feed through.
3 Year Limited Warranty.

Packing

Inner Box : 180*165*60 mm 1PCS/BOX
CTN: 37.5*34.5*20.5CM 12 PCS/CTN

E	Finish
WH	White
BK	Black
SN	Satin nickel

F	Dimmable
	Non-Dimmable
DM	Dimmable



Application

Automotive and Parking, Education, Government, Healthcare, Hospitality, Offices and Banks, Religious, Retail.





Mounting

Clip Option

① ② ③

Option ①



LED RETROFIT



Liteharbor Lighting Technology Co., Ltd.

New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687

FAX: +86-757-8180 8685



E-mail: info@liteharbor.com

Website: www.liteharbor.com



Specifications subject to change w/o notice

Revision: Jul. 2017

Option ②



Option ③



LED RETROFIT TRIM



Liteharbor Lighting Technology Co., Ltd.

New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jul. 2017