LED PENDANT LAMP

Catalog #	Prepared by LiteHarbor		
Project	Date		
Notes		-	





Descriptions

Liteharbor Pendant Light is an exclusively designed for architects and designers with imagination and personal style. This light can be suspended or surface mounted (Included).

Features

- Die-casting aluminum light bar.
- Operates at 12V with no loss in output due to constant current technology.
- 120 degree beam angle with 9 pcs LED chips at a total of 10W.
- Using LED SMD 3535/5050 Chips, the quality is guaranteed.

Applications

Suitable for commercial and residential applications.



TEL: +86-757-8180 8675

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jan. 2019

Product Details

Product Series	LED Pendant Lamp
Item No.	DG0703

Electronic Performance

Input Voltage	AC/DC12V
Frequency Range	60Hz
System Power	10W
PF	>0.9
Driver	Liteharbor
Dimmable	Non-dimmable

Optical Performance

Total Lumen	800lm/M
LED Light Source	SMD3535/5050
LED Qty	9 PCS
CCT	2700K-5000K
CRI	90+
IP Rating	IP66
Beam Angle	120 Degree

Mechanical Performance

Material	Stainless steel/Aluminium/Bronzed	
IP Rating	IP65	
Finish	White/Black/Brown	
Dimensions	1000mm*25mm*18.5mm	

Warranty

5 Years Lmited Warranty.



Liteharbor Lighting Technology Co., Ltd.New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675 FAX: +86-757-8180 8685


E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jan. 2019

Dimensions





Liteharbor Lighting Technology Co., Ltd.

New Industry Area Hecun Danzao Town

Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jan. 2019

LED PENDANT LAMP