# LED WALL LIGHT

| Catalog # | Prepar | ed by | LiteHarbor |
|-----------|--------|-------|------------|
| Project   | Date   |       |            |
| Notes     |        |       |            |



# **Descriptions**

Liteharbor Wall Light feature a polished brass surface that complements the classic design, it blends a variety of home look and style. Durable copper construction and weather resistance make it a reliable choice for your home exterior.

#### Features

- The appearance of the product is textured, simple, smooth, luxurious and changeable style.

- Crafted and well done. It is a combination of science and technology and plastic arts. The effect is vivid and intimate, functionally clever and practical.

- The lamp is composed of three parts, consisting of a lamp body, a rotating bracket and a base, and a 180 °rotating structure, can meet the needs of different applications.

- The lamps are made of brass, with retro surface treatment, and a variety of color choices.
- Reasonable heat dissipation design ensures lamp service life more than 5 years.
- Professional optical design with high-efficiency optical lens distribution, a variety of light distribution options.
- IP Rating: IP68



Liteharbor Lighting Technology Co., Ltd. New Industry Area Hecun Danzao Town Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675 FAX: +86-757-8180 8685 E-mail: info@liteharbor.com Website: www.liteharbor.com Specifications subject to change w/o notice Revision: Mar. 2019

# Applications

Suitable for outdoor lighting.

#### **Product Details**

| Product Series | LED Wall Light |
|----------------|----------------|
| Item No.       | DG5702B        |

## **Electronic Performance**

| Input Voltage   | AC/DC12V   |  |
|-----------------|------------|--|
| Frequency Range | 60Hz       |  |
| System Power    | 6W         |  |
| PF              | >0.9       |  |
| Driver          | Liteharbor |  |
| Dimmable        | YES        |  |

## **Optical Performance**

| Total Lumen      | 450 lm                |
|------------------|-----------------------|
| LED Light Source | SMD3030               |
| ССТ              | 2700K-5000K           |
| CRI              | 90+                   |
| Beam Angle       | 15/25/30/45/60 Degree |

#### **Mechanical Performance**

| Material   | Copper            |  |
|------------|-------------------|--|
| IP Rating  | IP68              |  |
| Finish     | White/Black/Brown |  |
| Dimensions | φ73.5*242.5mm     |  |

# Warranty


5 Years Lmited Warranty.



Liteharbor Lighting Technology Co., Ltd. New Industry Area Hecun Danzao Town

Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675 FAX: +86-757-8180 8685 E-mail: info@liteharbor.com Website: www.liteharbor.com Specifications subject to change w/o notice Revision: Mar. 2019 liebarb





**Liteharbor Lighting Technology Co., Ltd.** New Industry Area Hecun Danzao Town Nanhai Foshan City Guangdong China TEL: +86-757-8180 8675 FAX: +86-757-8180 8685 E-mail: info@liteharbor.com Website: www.liteharbor.com Specifications subject to change w/o notice Revision: Mar. 2019 Litcharbo