

**XL-003-S-2-TL
LED DOWNLIGHT**

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			



Pressable Trimless Miniature Multiple LED Recessed Downlight with 2 Heads

Description

This Product is the lighting embodiment of miniature, recessed LED solutions for residential and hospitality venues and boutique. Available in a lot of shapes, frames, colours and accessories, as a straight or a symmetrical spot, or as general lighting, and it's combines choice with exclusive design and high-quality lighting technology.

Features

- The choice combines exclusive design with high quality lighting technology.
- A lot of shapes, frames and colours, providing more options for you.
- Available in 1,2, 3, 4 lamps.
- Beam Angle: 30/60/90 Degrees.
- Life Rated for 50,000 hours at 70% lumen maintenance.
- Easy installation.

Listing / Warranty

ETL listed to US and Canadian standards for damp location W/Feed through.
5 Year Limited Warranty.



LED DOWNLIGHT



Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: info@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jul. 2019


Applications

Suitable for jewelry stores, boutiques, luxury goods stores, shopping malls and other places that require concentrated lighting and accent lighting.

Parameter

Voltage	AC 120V
Frequency	60 Hz
Watt	6W/lamp
Driver	Liteharbor
Dimmable	Non-dimming
Lumen	480-600lm
Light Source	COB
CRI	90+
Beam Angle	30D/60D/90D
CCT	2700K-5000K
Material	Aluminum
Finish	White/Black/Brown

Dimensions



Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: info@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jul. 2019

Ordering Guide

Series/Lumen	Input Voltage	CCT/CRI	Finish
<input type="checkbox"/> XL-003-S-2-TL LED Downlight	<input type="checkbox"/> 120V	<input type="checkbox"/> 3000K/90+ <input type="checkbox"/> 4000K/90+ <input type="checkbox"/> 5000K/90+	<input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> Brown

*Other special requirements please confirm with our factory

